



- IN THE UNITED STATES PATENT OFFICE -

↓ REGARDING THE FOLLOWING PATENT-APPLICATION ↓

RECEIVED  
APR 16 2003  
TECHNOLOGY CENTER R3700

Serial Number: # 09/912,560

Date Filed: 26 / August / 2001

Applicant(s): SANTIAGO RIVERA  
& Ruben H. Lujan

Presiding Examiner: Christopher S. Kial (Henry C. YUEN - Super. Examiner)

Invention Entitled: UNIVERSAL FAUCET & SHOWER ECONOMIZING SUDS-MIXER

-PETITION for EXTENSION of TIME-

- 1.) Outstanding Office-action Mailed Out On: 08 / August / 2002
- 2.) Original Period For Applicant-response Expires: 08 / Oct. / 2002
- 3.) Requesting Of Extension For: 2 - Month(s) To: 08 / DEC. / 2002
- 4.) Small-entity Petition-fee Check Enclosed In The Amount Of: \$ 200.00

Commissioner of Patents, U.S. Patent Office  
Washington, District of Columbia 20231

Sir:

In the above identified Patent-Application, pursuant to PTO/Rules: #136&17(a,d), the Applicant(s) hereby petitions that the period for response to the outstanding Office-action noted above be summarily extended for the additional monthly period as is indicated above on line-3. It is anticipated that a suitable Response to the Examiner's Office-action will be thus forthcoming from Applicant within the above requested time-extension period. Please note, that this needed extension is for preparation of a thoughtful Response, but shall not exceed the time over the statutory 6-month period from the official date of the PTO/Office-action.

RESPECTFULLY,

Applicant: (sign) Santiago Rivera

(print) SANTIAGO RIVERA (Tele.: 619 / 299-0066)

From Address:

3350 KURTZ ST., SAN DIEGO, CALIF. 92110

-CERTIFICATE OF MAILING-

I hereby certify this correspondence will be deposited with the U.S. Postal-service as 1st-Class mail material, bearing proper postage, and addressed to: Commissioner of Patents, Washington. D.C. 20231, -on the very date indicated below with my signature.

DATE MAILED: 09 / DECEMBER / 2002  
Enclosures: one monetary-check

Applicant: Santiago Rivera  
INVENTECH ©'90

Co-Applicant: Ruben H. Lujan  
Ruben H. Lujan